

#### **SAFETY DATA SHEET**

OSMOSE ABS 33

Page 1

Issued: 20/07/2012

Revision No: 3

1. IDENTIFICATION OF THE S	E STATE OF STATE OF BUILDINGS OF	F 1500 DESCRIPTION AND AN ARRAY AS ARRAY	 	S S. S. S. W . F .	THE RESENT THE PROPERTY OF REPORT OF	1994

Product name: OSMOSE ABS 33

Product code:

F1668/3

Company name: Protim Solignum Ltd

Fieldhouse Lane

Marlow

Buckinghamshire

SL7 1LS

**United Kingdom** 

Registered office as above. Registered in UK 3037845.

Tel: +44 (0) 1628,486 644

Fax: +44 (0) 1628 476 757

Emergency tel +44 (0) 1628 890 907

Émail: info@osmose.co.uk

### 2. HAZARDS IDENTIFICATION

Main hazards: Contact with combustible material may cause fire. Irritating to eyes and skin.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO

247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-O <5%

CAS: 55965-84-9

[T] R23/24/25; [C] R34; [Sens.] R43; [N] R50/53

• MAGNESIUM NITRATE <5%

[O] R8; [Xi] R36/38

- 4. FIRST AID MEASURES (SYMPTOMS)
  - 4. FIRST AID MEASURES (ACTION)
- 5. FIRE-FIGHTING MEASURES
- 6. ACCIDENTAL RELEASE MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS / PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 10. STABILITY AND REACTIVITY

### SAFETY DATA SHEET

**OSMOSE ABS 33** 

Page 2

# 11. TOXICOLOGICAL INFORMATION

Hazardous ingredients: A MIXTURE OF: 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE [EC NO

247-500-7] AND 2-METHYL-2H-ISOTHIAZOL-3-O

ORL MUS LD50 60 mg/kg
ORL RAT LD50 53 mg/kg

#### 12. ECOLOGICAL INFORMATION

# 13. DISPOSAL CONSIDERATIONS

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

#### 14. TRANSPORT INFORMATION

ADR / RID

IMDG / IMO

IATA/ICAO

### 15. REGULATORY INFORMATION

Hazard symbols: Oxidising.

Irritant.





Risk phrases: R8: Contact with combustible material may cause fire.

R36/38: Irritating to eyes and skin.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations

or provisions.

## 16. OTHER INFORMATION

Risk phrases used in s.3: R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

R34: Causes burns.

R43: May cause sensitisation by skin contact.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R8: Contact with combustible material may cause fire.

R36/38: Irritating to eyes and skin.

[cont...]

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.



