







Fleetsafe Aztec Chemicals Limited, Gateway, Crewe, CW1 6YY

COMMON USE Cleaning Agent - 'Truck wash'

CHEMICAL COMPONENTS WEL
 Substance: 2-amino ethanol
 Disodium Metasilicate
 Nonyl phenyl ethoxylate
 Sodium alkyl ether sulphate
 Sodium Nitrotriacetic Acid

All users of this assessment are encouraged to provide
CORRECTIONS & IMPROVEMENTS
 to: Martin Hellyer

HAZARD IDENTIFICATION

 Environment <input checked="" type="checkbox"/>	 Toxic <input type="checkbox"/>	 Harmful <input type="checkbox"/>	 Corrosive <input type="checkbox"/>	 Irritant <input checked="" type="checkbox"/>	 Flammable <input type="checkbox"/>
---	--	--	--	--	--

TOXIC - May cause death or acute or chronic damage to health in very low quantities when inhaled, swallowed or absorbed via the skin.

CORROSIVE - Substances which may on contact with living tissues, destroy them.

HARMFUL - May cause death or acute or chronic damage to health when inhaled, swallowed or absorbed via skin.

IRRITANT - Non-corrosive substance which, through immediate, prolonged or repeated contact with the skin may cause inflammation.

FLAMMABLE - Gives off a flammable vapour at a temperature of less than 23oC.

PHYSICAL FORMAT
 Solid Liquid Gas Vapour Fume Dust

SIGNIFICANT RISKS

Do not expose to naked flames	<input checked="" type="checkbox"/>	Harmful if swallowed	<input checked="" type="checkbox"/>	Do not smoke	<input checked="" type="checkbox"/>
Do not permit contact with hot surfaces	<input checked="" type="checkbox"/>	Irritant to respiratory system	<input checked="" type="checkbox"/>		
Ensure adequate fresh air ventilation	<input checked="" type="checkbox"/>	Irritant in contact with eyes and skin	<input checked="" type="checkbox"/>		
Discharge vapours to a safe place	<input type="checkbox"/>	Avoid contact with skin	<input checked="" type="checkbox"/>		
Causes severe burns	<input type="checkbox"/>	Avoid contact with eyes, nose or mouth	<input checked="" type="checkbox"/>		

PERSONS WHO COULD BE AFFECTED
 Employees Other Workers Office Staff Maintenance Staff Visitors General Public

STAFF RESPONSIBLE
 Manager Supervisor Operative Admin Staff

EXISTING CONTROLS

PROTECTIVE & PREVENTIVE MEASURES TO BE TAKEN
 ♦ Avoid spilling, skin and eye contact. Provide adequate ventilation.

PERSONAL PROTECTIVE EQUIPMENT
 ♦ Chemical resistant gloves required for prolonged or repeated contact. Use gloves made of rubber, neoprene or PVC
 ♦ Wear approved safety goggles where eye exposure is reasonably probable.

FIRST AID REQUIREMENTS
 Eyes: ♦ Flush the eye with water immediately. Continue to rinse for at least 15 min and get medical attention.
 Skin: ♦ Remove contaminated clothing
 Ingestion: ♦ Rinse mouth and provide fresh air. DO NOT INDUCE VOMITING. Immediately give a couple of glasses of milk or water, provided victim is fully conscious. Get medical attention
 Inhalation: ♦ Move person into fresh air at once. Seek medical attention if any discomfort continues.

STORAGE	<ul style="list-style-type: none"> ◆ Store in closed original container in a dry place. Store above freezing.
SPILLAGE	<ul style="list-style-type: none"> ◆ Absorb spillage with suitable absorbent material Flush contaminated area with plenty of water
DISPOSAL	<ul style="list-style-type: none"> ◆ Do not empty into drains. Dispose of material and container as hazardous waste.
FIRE	<ul style="list-style-type: none"> ◆ Use fire fighting media appropriate for surrounding materials. Toxic gasses may be formed COx NOx
SAFE SYSTEM - OF WORK - APPLICATION	<ul style="list-style-type: none"> ◆ The truck wash is mixed automatically by the pressure wash, therefore there is no need to handle the product unless the drum is empty ◆ If the drum is empty wear suitable hand and eye protection ◆ Remove the feeder pipe from the drum ◆ Replace the drum with a new one and reinsert feeder pipe.

Review & Revision

Assessment Completed by:

Name	Signature
Martin Hellyer	_____

Date: 22 November 2012. Reviewed